

# Overlook-Monitoring Framework for Cloud Infrastructure

Bondu Venkateswarlu

Computer Science and Engineering,  
Dayananda Sagar University, Bangalore, India-560068

## Abstract

The effective administration of Cloud foundation and organizations is a subject that is as of now pulling in noteworthy intrigue. Complex Cloud organizations can bring about a many-sided layered structure. Understanding the conduct of these various leveled frameworks and how to oversee them ideally are testing undertakings that can be encouraged by inescapable observing. Checking instruments and procedures have an imperative part to play here by social event the data required to settle on educated choices. A wide assortment of observing apparatuses are accessible, from universally useful foundation checking instruments that originate before Cloud figuring, to abnormal state application observing administrations that are themselves facilitated in the Cloud. Reviewing the abilities of observing devices can distinguish the wellness of these devices in serving certain destinations. Checking instruments are fundamental segments to manage different goals of both Cloud suppliers and purchasers in various Cloud operational zones. We have recognized the reasonable abilities that a perfect observing apparatus should have to serve the goals in these operational zones. In light of these recognized capacities, we exhibit scientific categorization and investigations the checking devices to decide their quality and shortcomings. Taking everything into account, we exhibit our appearance on the investigation, talk about difficulties and distinguish future research slants in the territory of Cloud checking.

**Keywords:** Cloud infrastructure, Cloud Monitoring solution, Cloud suppliers, purchasers,

## 1. Introduction

Distributed computing has made endeavor IT more intricate than any other time in recent memory. While associations keep on maintaining huge on commence

and virtualized frameworks, many are currently blasting over-limit into the Cloud and relocating to Cloud-based SaaS applications like Salesforce or using AWS, Azure or Google Cloud Platform. Regardless of whether you see the Cloud as a rush on to on preface foundations or as another home for business-basic applications, operations groups must have a similar knowledge into their Cloud-based frameworks as whatever is left of their foundation. Cloud checking devices and going with abilities combined with grant winning scope for physical and virtual frameworks conveys a 360° perspective of your whole foundation

progressively. A client is typically in charge of the greater part of the segments in a customary administration model or its own private cloud. These obligations are shared at various levels in the IaaS, PaaS, and SaaS cloud benefit models. A foundation as a Service (IaaS) model can be given by a self-benefit IaaS or a completely oversaw IaaS cloud supplier. In an IaaS self-benefit display, the cloud supplier is in charge of server farms, which incorporate virtualization, servers, stock piling, organizing, and other foundation segments. The supplier is additionally in charge of checking these segments. Clients have duty regarding observing the segments conveyed to them as a feature of the administration. In any case, the extent of these duties can be consulted in the agreement amongst client and supplier. Observing alternatives ought to be given to the clients by an IaaS Cloud supplier, however clients are not required to utilize these. They can introduce, design, and deal with their own checking programming or administration arrangements




Fig 1. Cloud service models

### 1.1 Why cloud monitoring is important:

In the present aggressive market, a steady IT foundation is a vital concern. Downtime can cause a business misfortune in profitability, influence nature of administration, and harm a business' notoriety. Server checking is crucial to help maintain a strategic distance from blackouts and execution issues. It is a preventive measure that identifies

issues that can influence your profitability and predict future issues.

### 1.2 Monitoring provides these benefits:

**Visibility into the cloud infrastructure:** Visibility into the cloud infrastructure provides real-time information about your environment's health and performance. This information enables you to detect and isolate issues on your servers, storage, and network resources before they negatively affect your business. **Virtual environment management:** You can view critical information in easy to understand charts in a single dashboard to detect performance problems and identify their source. Resources can conveniently work with each other using automation.

### 1.3 Capacity Planning:

Allows you to understand the usage patterns and plan resource requirements in advance with the extensive reporting feature. **Optimization:** Find the most suitable value for a function within a given domain

## 2. Literature Survey

The advent of Cloud Computing has given rise to the development of Cloud-specific monitoring tools. Currently, Cloud providers offer diverse services using proprietary software and management techniques. In addition, many of these providers use provider dependent monitoring tools which complement their offerings. For instance, Amazon Cloud Watch [1] monitors Amazon Web Services (AWS) such as Amazon EC2, Amazon RDS DB instances, and applications running on AWS. Azure Watch [2], on the other hand, monitors Azure-based resources, Windows Azure instances, SQL Azure Databases, websites, web applications, and Windows Azure storage. Both of these tools allow for user defined metrics monitored. These are proprietary Monitoring systems that are confined to the environment.

Many cloud based monitoring tools were initially designed to monitor IT infrastructure and was later extended to monitor Cloud deployments. Monitoring systems in traditional environment such as Nagios and Zabbix are very complex system and it needs lots of time to master it [3]. They pose a very hard challenge to build custom dashboards which show the state of the system [3] as they have no option to incorporate modern dash boarding systems which is a huge compromise from the fast changing environments and application in a cloud environment. The monitoring application are statefull which make the very hard to scale, this may lead into reconfiguring a complete application if they are needed to

monitor a bigger infrastructure that they were planned to [4].

The available monitoring application assumes static infrastructure, where server needs to be told about new clients, they have to be configured with respect to the new client, and there exist no dynamic host registration [5]. This system may be prone to human errors during the process of registration. A very few monitoring application are available in the market that that provide both infrastructure and application monitoring, which are very highly priced [6].

The traditional monitoring platform often requires the servers to be restarted on addition of new client to the environment that may lead loss of monitoring during the period [7]. They also lack the ability to automated for the process of deployment and registration of new client and service which a challenge to be considered as they may be cause issue during the deployment due to bad configuration and mistake that may occur due to human errors.

Currently, Cloud environments may include dozens of independent, heterogeneous data centers operating mostly as stand-alone resources. Many business analysts have predicted the need for interoperable federated Clouds [3, 5]. Interoperability is a prerequisite for Cloud bursting and for the creation of federated offerings from multiple providers [1, 7]. A modern monitoring tool should be capable of sharing monitoring information between heterogeneous Cloud components for managing collaborative operations.

With the rapid growth of Cloud computing, there are continuous changes and extensions to technologies especially in the area of management. Since monitoring techniques are fundamental to Cloud management, the monitoring tools need to be extensible and be able to adapt to new environments, such as being able to incorporate new monitoring metrics [9, 10]. This is typically achieved through a modular design.

Usability is one of the critical issues facing the adoption of Cloud computing. Fitness for purpose is an important factor when evaluating usability since the intended goal of a monitoring tool determines the usability judgement. As a consequence, any monitoring tool that is designed to support Cloud management needs to be easily useable [11]. To be highly useable a monitoring tool should facilitate deployment, maintenance and human interaction.

Capacity planning is an important domain in Cloud computing, especially for the provider. It ensures adequate resource availability to meet the capacity demand necessary for securing a level of service quality and for serving various Cloud operational management activities, e.g., disaster recovery and maintaining backups [11, 12]. The ability to measure capacity usage enables operations such as predicting the need for more resources or

determining resource wastage. Furthermore, the ability to detect Cloud node availability is necessary to maintain a required level of resource limits [3, 6, 13]. Monitoring capabilities such as component status identification play an important role in facilitating these goals.




Fig2. Overall System Architecture

### 3. System Architecture

A checking structure that intends to be straightforward, pliant, and marketable. An observing stage skilled to screen servers, administrations, application wellbeing, and business KPIs. Gather and investigate custom measurements. Get informed about disappointments previously your clients do.

Give your business the upper hand it merits.

### 4. Overlook Monitoring Flow

- A Check Request is scheduled/published by the Overlook Server or a Overlook Client
- The Overlook Client executes a Service Check



- Service Checks emit status information and telemetry data as Check Results
- Check Results are published by the Overlook Client to the Overlook Transport



- The Overlook Server processes Check Results, persisting a copy of the latest result in the Data Store and creating a corresponding to Event
- The Overlook Server processes the Event by executing one or more Event Handlers
- The Overlook Server applies any Event Filters defined for an Event Handler
- The Overlook Server applies any Event Data Mutators defined for an Event Handler (assuming the event was not filtered out)
- The Overlook Server executes the Event Handler (assuming the event was not filtered out)

### 5. Results and Analysis

The fig 3 home dashboard lists all the various dashboards and provides a link to all the dashboards that are available

The fig 4. Infrastrure dashboard provides details of infrastructure of a particular instance. The following details of instances can be view CPU, Disk Utilization, Rate of growth of disk, chief characteristics of CPU and Memory usage. In the above graph x-axis represents time in seconds and y- axis percentage of utilization. The graph of Disk percentage, Rate of growth, CPU, Memory usage of disk we see a horizontal line as there is no change in disk utilization at the give time, however on increase or decrease of disk the graph would in go uphill or downhill

The fig 5 CPU utilization graph represents the CPU utilization of an instance. In the above graph x-axis represents time in seconds and y-axis represents the percentage of CPU utilized. In the graph we can observe spikes with respect to time interval this represent that can in CPU utilization. We measure the CPU\_Idle, CPU\_System, CPU\_User, CPU\_System. The graph becomes a straight horizontal line if there is no variation in CPU utilization at a given time interval.

The fig 6 Rate of growth of disk graph represents the rate of growth of disk space utilized. . In the above graph x-axis represents time in seconds and y-axis represents the percentage of CPU utilized. The rate of change of disk utilization can be observed in graph as we observe a spike in the graph with respect to time, as the utilization become constant the graph drops to a stable horizontal line

The fig 7 graph health status of various components in an environment and the average response time i.e. Database, Content list and language lists. This would play a key role in debugging to find which service caused the failure of service. . In the above graph x- axis represents time in seconds and y-axis represents the percentage of response time.

The fig 8 graphs represent the response duration of various components of a web portal. That include response time of loading the main page, Post query response time, content page response time, and there success and error response time respectively. In the above graph x-axis represents the percent time in seconds and y-axis represents response time in seconds. The variation in the graph represents the can of in time the Portal website takes to load contents with respect to time. The sharp curves represent the time when data is access. The graph can be used to future optimize the performance of the application




Fig 3 Home dash board



Fig 4. Infrastrure dashboard



Fig 5. CPU Utilization



Fig 6. Rate of growth of disk




Fig 7. Health status of various components




Fig 8. Response time

**Conclusion And Future Work**

Distributed computing frameworks have turned out to be exceptionally well known in the current circumstances and pulled in the consideration of many individuals including analysts, specialist organizations and clients. The cloud frameworks give many points of interest over the customary processing framework because of the creative method for making the registering assets accessible over the web and charging the clients. Cloud

frameworks utilize a compensation as-you-go ness display like utilities like power, water, gas and communication. Nature of Service would assume a critical part in making distributed computing worthy to everybody particularly the business clients. Checking the cloud framework is a key factor in guaranteeing the submitted benefit quality is kept up. The checking the framework will help both the clients and specialist organizations as the clients can choose the correct specialist organization who could meet their necessities and specialist co-ops would be capable outline deal with their frameworks ideally meeting the prerequisites of the clients. The finish of the proposed think about, it is relied upon to contribute essentially to the current information on distributed computing with unique reference to upgrading the administration quality. The work is additionally critical for all intents and purposes as the frameworks once finished can be utilized by the two clients and specialist organizations to get a superior administration and improve their administrations and benefit separately.

## References

- [1] R. Buyya, C.S. Yeo, S. Venugopal, J. Broberg, and I. Brandic, —Cloud Computing and Emerging IT Platforms: Vision, Hype, and Reality for Delivering Computing as the 5th Utility,|| Journal of Future Generation Computer Systems, vol. 25, no. 6, pp. 599–616, June 2009.
- [2] B.P. Rimal, E. Choi, and I. Lumb, I. —A Taxonomy and Survey of Cloud Computing Systems,|| Proc. 5 th Int. Joint Conf. INC, IMS and IDC (NCM'09), pp. 44-51, 2009.
- [3] S.K. Garg, S.K. Gopalaiyengar, and R. Buyya, SLA-based Resource Provisioning for Heterogeneous Workloads in a Virtualized Cloud Datacenter,|| Proc. 11th Int. Conf. Algorithms and Architectures for Parallel Processing (ICA3PP2011), pp. 371–384, 2011.
- [4] D. Bourcier, and P.D. Filippi, —Cloud Computing: New Research Perspectives for Computers and Law,|| Proc. 13th Int. Conf. Artificial Intelligence & Law, pp. 73–92, 2011.
- [5] G. Feng, S. Garg, R. Buyya, and W. Li, —Revenue Maximization using Adaptive Resource Provisioning in Cloud Computing Environments,|| Proc. 13th ACM/IEEE Int. Conf. Grid Computing, pp. 192–200, 2012.
- [6] D.C. Marinescu, Cloud Computing: Theory and Practice. Burlington, MA: Morgan Kaufmann, 2013.
- [7] A. Iosup, N. Yigitbasi, and D. Epema, —On the Performance Variability of Production Cloud Services,|| Proc. 11th IEEE/ACM Int. Symp. Cluster, Cloud and Grid Computing, pp. 104-113, 2011.
- [8] Amazon S3 Service Level Agreement, <http://aws.amazon.com/s3-sla/>. Accessed on February 07, 2013.
- [9] H. Blodget, —Amazon's Cloud Crash Disaster Permanently Destroyed Many Customers Data. || <http://www.businessinsider.com/amazonlost-data-2011-4>. Accessed on February 07, 2013.
- [10] C. Vecchiola, S. Pandey, and R. Buyya, —High-performance cloud computing: A view of scientific applications,|| Proc. 10th Int. Symp. Pervasive Systems, Algorithms, and Networks (ISPAN), pp. 4–16, 2009.
- [11] R. Buyya, A. Beloglazov, and J.H. Abawajy, "Energy-Efficient Management of Data Center Resources for Cloud Computing: A Vision, Architectural Elements, and Open Challenges", Proc. Int. Conf. Parallel and Distributed Processing Techniques and Applications, pp. 6- 20, 2010.
- [12] Y. Li, W. Li, and C. Jiang, —A Survey of Virtual Machine System: Current Technology and Future Trends,|| Proc. Third Int. Symp. Electronic Commerce and Security, pp. 332-336, 2010.
- [13] A. Quiroz, H. Kim, M. Parashar, N. Gnanasambandam, and N. Sharma, —Towards Autonomic Workload Provisioning for Enterprise Grids and Clouds,|| Proc. 10th IEEE/ACM Int. Conf. Grid Comp., pp. 50-57, 2009.
- [14] D. Carrera, M. Steinder, I. Whalley, J. Torres, and E. Ayguade, —Enabling resource sharing between transactional and batch workloads using dynamic application placement,|| Proc. 9th ACM/IFIP/USENIX Int. Conf. Middleware, pp. 203-222, 2008.
- [15] T.M. Chen, —Network Traffic Modeling,|| The Handbook of Computer Networks: Distributed Networks, Network Planning, Control, Management, and New Trends and Applications, Vol. 3, H. Bidgoli, ed., Hoboken, NJ: Wiley, pp. 326-339, 2007.
- [16] J.M. Pedersen, M.T. Riaz, J.C. Júnior, B. Dubalski, D. Ledzinski, and A. Patel, —Assessing Measurements of QoS for global Cloud Computing Services,|| Proc. Ninth IEEE Int. Conf. Dependable, Autonomic and Secure Computing, pp. 682-689, 2011.
- [17] R. Buyya, S.K. Garg, and R.N. Calheiros. —SLA-Oriented Resource Provisioning for Cloud Computing: Challenges, Architecture, and Solutions,|| Proc. Int. Conf. Cloud and Service Computing, pp. 1-10, 2011.
- [18] X. Liu, Y. Yang, D. Yuan, G. Zhang, W. Li, and D. Cao, —A Generic QoS Framework for Cloud Workflow Systems,|| Proc. Ninth IEEE Int. Conf. Dependable, Autonomic and Secure Computing, pp. 713-720, 2011.
- [19] W.N. Chen, and J. Zhang, —A Set-Based Discrete PSO for Cloud Workflow Scheduling with User-Defined QoS Constraints,|| Proc. IEEE Int. Conf. Systems, Man and Cybernetics, pp. 773-778, 2012.
- [20] R.V. den Bossche, K. Vanmechelen, and J. Broeckhove, —CostEfficient Scheduling Heuristics for Deadline Constrained Workloads on Hybrid Clouds,|| Proc.

3rd IEEE Int. Conf. Cloud Comp. Tech. and Sc., (CloudCom), pp. 320-327, 2011.

[21] V.C. Emeakaroha, I. Brandic, M. Maurer, and I. Breskovic, —SLAAware Application Deployment and Resource Allocation in Clouds,| Proc. 35th IEEE Annual Computer Software and Applications Conference Workshops (COMPSACW), pp. 298-303, 2011.

[22] W. Li, Q. Zhang, J. Wu, J. Li, and H. Zhao, —Trust-based and QoS Demand Clustering Analysis Customizable Cloud Workflow Scheduling Strategies,| Proc. IEEE Int. Conf. Cluster Comp. Workshops, pp. 111— 119, 2012.

[23] K. Alhamazani, R. Ranjan, F. Rabhi, L. Wang, and K. Mitra, —Cloud Monitoring for Optimizing the QoS of Hosted Applications,| 4th IEEE Int. Conf. Cloud Comp. Tech. and Sc., pp. 765—770, 2012. International Journal of Scientific & Engineering Research, Volume 4, Issue 5, May-2013 ISSN 2229-5518 117 IJSER

#### Author's Profile



Dr. Bondu Venkateswarlu received his B.E. and M.Tech. in Computer Science and Technology from Andhra University College of Engineering respectively. Dr. Bondu received his Ph.D. degree from Department of Computer Science and Systems Engineering at the same university in 2016. He is currently working as an Associate Professor in the Department of Computer Science and Engineering of Dayananda Sagar University, Bangalore. India. He has authored several papers in international conference proceedings and refereed journals. His current research interests include Data Mining, Soft Computing Techniques, Software Engineering, Image processing and Data Engineering.